

Standard Octave Coaxial 3 Port Isolator & Circulator



Model Number	Freq. Range GHz	Isolation dB Min.	Ins.Loss dB Max.	VSWR Max.	Fwd.Power Watts Avg.	Size W x L x T mm.	Weight Grams
C 80.160	0.8 - 1.6	17	0.7	1.35	50	76.2 x 76.2 x 25.4	550
D 10.20	1.0 - 2.0	17	0.5	1.35	50	63.5 X 63.5 X 25.4	350
D 11.22	1.1 - 2.2	17	0.5	1.35	50	63.5 X 63.5 X 25.4	350
D 12.24	1.2 - 2.4	17	0.5	1.35	50	63.5 X 63.5 X 25.4	350
D 13.26	1.3 - 2.6	17	0.5	1.35	50	63.5 X 63.5 X 25.4	350
D 14.28	1.4 - 2.8	17	0.5	1.35	50	50.8 X 50.8 X 19.0	180
E 15.30	1.5 - 3.0	17	0.5	1.35	50	50.8 X 50.8 X 19.0	180
F 20.40	2.0 - 4.0	18	0.5	1.35	50	44.5 X 44.5 X 19.0	125
F 21.42	2.1 - 4.2	18	0.5	1.35	50	44.5 X 44.5 X 19.0	125
F 24.47	2.4 - 4.7	18	0.5	1.35	25	38.1 X 38.1 X 19.0	120
F 25.50	2.5 - 5.0	18	0.5	1.35	25	38.1 X 38.1 X 19.0	120
F 26.52	2.6 - 5.2	18	0.5	1.35	25	38.1 X 38.1 X 19.0	120
G 27.54	2.7 - 5.4	17	0.5	1.35	25	31.8 X 31.8 X 19.0	85
G 30.60	3.0 - 6.0	17	0.6	1.35	25	31.8 X 31.8 X 19.0	85
G 32.64	3.2 - 6.4	17	0.5	1.35	25	31.8 X 31.8 X 19.0	85
G 35.70	3.5 - 7.0	17	0.5	1.35	25	31.8 X 31.8 X 19.0	85
H 40.80	4.0 - 8.0	18	0.5	1.35	25	25.4 X 29.2 X 17.8	60
H 40.84	4.0 - 8.4	20	0.5	1.25	25	25.4 X 29.2 X 17.8	60
H 40.90	4.0 - 9.0	18	0.5	1.35	25	25.4 X 29.2 X 17.8	60
H 45.90	4.5 - 9.0	17	0.5	1.35	25	19.0 X 24.1 X 16.5	40
H 48.96	4.8 - 9.6	17	0.6	1.35	25	25.4 X 29.2 X 17.8	60
H 50.100	5.0 - 10.0	17	0.6	1.35	25	25.4 X 29.2 X 17.8	60
H 52.104	5.2 - 10.4	17	0.6	1.35	25	19.0 X 24.1 X 16.5	40
I 55.110	5.5 - 11.0	17	0.6	1.35	25	19.0 X 24.1 X 16.5	40
I 60.120	6.0 - 12.0	17	0.7	1.35	25	19.0 X 24.1 X 16.5	40
I 65.130	6.5 - 13.0	17	0.7	1.35	25	16.0 X 21.6 X 16.5	30
J 70.140	7.0 - 14.0	16	0.7	1.40	25	16.0 X 21.6 X 16.5	30
J 75.150	7.5 - 15.0	16	0.7	1.40	25	16.0 X 21.6 X 16.5	30
J 80.160	8.0 - 16.0	17	0.7	1.40	25	16.0 X 21.6 X 16.5	30
J 80.180	8.0 - 18.0	16	0.8	1.45	25	16.0 X 21.6 X 16.5	30
J 90.180	9.0 - 18.0	17	0.7	1.40	25	16.0 X 21.6 X 16.5	30
J 90.185	9.0 - 18.5	15	0.8	1.45	25	16.0 X 21.6 X 16.5	30
J80.185	8.0 - 18.5	15	0.8	1.50	25	16.0 X 21.6 X 16.5	30